

FIGURE 1 (PRIOR ART)




FIGURE 2




FIGURE 3A






FIGURE 3B




FIGURE 4




FIGURE 5

cts	ctype	subunit_type	subId	opcode	operand[0]			
quadlet 1								
quadlet 2								
	()							

cts	ctype	subunit_type	subld	opcode	plugld				
-	modes								
	objectIdHi								
	objectIdLo								
- "	startTimeHi								
	startTimeLo								
	maxFileLengthHi								
	maxFileLengthLo								
	maxElapsedTimeHi								
	maxElapsedTimeLo								
	tocPlacement								

cts	ctype	subunit_type	subId	opcode	plugld			
	modes							
	objectIdHi							
	objectIdLo							
	startOffsetHi							
	startOffsetLo							
	endOffsetHi							
	endOffsetLo							

cts	ctype	subunit_type	subId	opcode	plugld			
	modes							
	objectIdHi							
	objectIdLo							
	startOffsetHi							
	startOffsetLo							
	endOffsetHi							
	endOffsetLo							
	entrySelect							
	elementSelect							




FIGURE 10

cts	ctype	subunit_type	subld	opcode	plugld				
		m	nodes						
	objectldHi								
	objectIdLo								
	byteOffsetHi								
	byteOffsetLo								
_	returnedDataValues -								
_		(25	6 bytes)						

cts	ctype	subunit_type	subld	opcode	plugld			
	modes							
	objectIdHi							
	objectIdLo							
	byteOffsetHi							
	byteOffsetLo							
	returnedDataValues —							
	- (256 bytes)							